

Shenzhen HSC Electronics Co.,Ltd


Hexagon LED Display




LED Hexagon Display

Special / Creative / Unique / Magic


Web: www.hsclcd.com | Email: sales@hsclcd.com | Mobile: +86 198 6770 2730



Side length: 300mm




Side length: 600mm



P2 Hexagon LED Display: 382mm side length

Applications



P2.5 hexagon led screen for live events in UK

Side length: 320mm or custom size

P3 hexagon led panel for nigh club & shopping mall

Side length: 288mm, 320mm, 576mm, 1152mm or custom size



Web: www.hsclcd.com | Email: sales@hsclcd.com | Mobile: +86 198 6770 2730

P4 hexagon led display

Side length: 300mm, 600mm, 1100mm or custom size



P5 hexagon led display

Side length: 640mm, 1280mm or custom size



Web: www.hsclcd.com | Email: sales@hsclcd.com | Mobile: +86 198 6770 2730

Specifications

Model	P2.5mm	P3	P4mm	P4mm
LED	SMD1515	SMD1515	SMD1515	SMD1515
Pixel Density	160,000 Pixels/m ²	111,111 Pixels/m ²	62,500 Pixels/m ²	62,500 Pixels/m ²
Side Length	320×320mm	576×576mm	300×300mm	600×600mm
Cabinet Material	Iron	Iron	Iron	Iron
Cabinet Weight	5.5kg	8kg	4.5kg	8.5kg
Brightness	800nits	800nits	800nits	800nits
Viewing Angle	H: 160°; V: 160°	H: 160°; V: 160°	H: 160°; V: 160°	H: 160°; V: 160°
Input Voltage	AC100-240V	AC100-240V	AC100-240V	AC100-240V
Max. Power	550W/m ²	550W/m ²	550W/m ²	550W/m ²
Ave. Power	200W/m ²	200W/m ²	200W/m ²	200W/m ²
Working Temperature	-20°C ~ +50°C	-20°C ~ +50°C	-20°C ~ +50°C	-20°C ~ +50°C
Working Humidity	10%—90%RH	10%—90%RH	10%—90%RH	10%—90%RH