


Shenzhen HSC Electronics Co.,Ltd

Transparent LED Display



01

Web: www.hsclcd.com

02

Mobile: +86 198 6770 2730

03


Email: sales@hsclcd.com

1. Applications


Transparent Curved LED Screen



Transparent LED Ball




Transparent Round LED Screen



Transparent Column LED Screen



Transparent Cube LED Screen



2. Features

Simple structure

Flexible installation

Low power consumption



50%-80% Transparency

10kg/m² light weight

Easy maintenance

3. Specifications

Model	P3.9-7.8	P7.81	P10.4
Pixel Pitch	3.9-7.8mm	7.81mm	10.4mm
Brightness	5000nits	5000nits	5000nits
Scan	1/8 Scan	1/8 Scan	1/8 Scan
Cabinet	1000×500mm		
Cabinet Resolution	256×64 Pixel	128×64 Pixel	96×48 Pixel
Cabinet Weight	6kg	5.5kg	5kg
Transparency	≥70%	≥70%	≥80%
Max. Power	800W	800W	800W
Ave. Power	240W	240W	240W
Viewing Angle	160°/160°	160°/160°	160°/160°
Input Voltage	AC100-240V		
Working Temp.	-40°C~+45°C		
Refresh Rate	≥1920Hz		